




Phyl.

Loudon, I. C.,

409^m - 6

<36635619260018

<36635619260018

Bayer. Staatsbibliothek

ARBORETUM ET FRUTICETUM BRITANNICUM;

OR,

THE TREES AND SHRUBS OF BRITAIN,
Native and Foreign, Hardy and Half-Hardy,
PICTORIALLY AND BOTANICALLY DELINEATED,
AND SCIENTIFICALLY AND POPULARLY DESCRIBED;

WITH

THEIR PROPAGATION, CULTURE, MANAGEMENT,
AND USES IN THE ARTS, IN USEFUL AND ORNAMENTAL PLANTATIONS, AND IN
LANDSCAPE-GARDENING;

PRECEDED BY A HISTORICAL AND GEOGRAPHICAL OUTLINE
OF THE TREES AND SHRUBS OF TEMPERATE CLIMATES
THROUGHOUT THE WORLD.

BY J. C. LOUDON, F.L. & H.S. &c.

AUTHOR OF THE ENCYCLOPÆDIAS OF GARDENING AND OF AGRICULTURE.

IN EIGHT VOLUMES:

FOUR OF LETTERPRESS, ILLUSTRATED BY ABOVE 2500 ENGRAVINGS;
AND FOUR OF OCTAVO AND QUARTO PLATES.

~~~~~  
VOL. VI.

THE PLATES FROM ROSA'CEÆ TO OLEA'CEÆ INCLUSIVE.

---

SECOND EDITION.

LONDON:


PRINTED FOR THE AUTHOR;

AND SOLD BY

LONGMAN, BROWN, GREEN, AND LONGMANS;

THE PARTIALLY COLOURED AND COLOURED COPIES, BY  
JAMES RIDGWAY AND SONS.

1844.





ARBORETUM ET FRUITICULTURA  
BRITANNICA

THE TREES AND SHRUBS OF BRITAIN

AND THE FRUIT AND VEGETABLES OF THE ISLAND

FACTORIALLY AND BOTANICALLY DESCRIBED  
AND ACCURATELY AND PICTORALLY REPRESENTED

THEIR PROPAGATION, CULTURE, MANAGEMENT

AND THE USES OF THE FRUIT, IN DOMESTIC AND ECONOMIC RESPECTS, AND AS

LANDSCAPE-ORNAMENT

PREPARED BY A HISTORICAL AND GEOGRAPHICAL OUTLINE  
OF THE TREES AND SHRUBS OF BRITAIN, COMPARED  
THROUGHOUT THE WORLD

BY J. C. LONDON, F.R.S. & N.S. &c.

AUTHOR OF THE "SYNOPSIS OF VEGETABLES OF BRITAIN AND OF EUROPE"

IN EIGHT VOLUMES

FOUR OF WHICH, ILLUSTRATED BY ABOVE AND REVEREND  
AND FOUR OF WHICH, BY ABOVE AND REVEREND

VOL. VI.

THE PLANTS FROM ABOVE TO BE A NEW SPECIES

SECOND EDITION


LONDON:

PRINTED FOR THE AUTHOR

LONGMAN, BROWN, GREEN, AND LONGMANS

LONDON:

Printed by A. SPOTTISWOODE,  
New-Street-Square.





# CONTENTS OF VOL. VI.

## LIST OF THE PORTRAITS OF TREES FORMING VOL. VI., SYSTEMATICALLY ARRANGED.

The names, scientific and English, of all the trees included in the plates forming Vols. V. VI. VII. and VIII. will be found systematically arranged in the General Contents in Vol. I., and alphabetically arranged at the end of Vol. VIII.

The number on the left hand refers to the paging of the plates in the present volume; that on the right to the page of the body of the work where the tree is treated of.

| ROSA'CEÆ. (FRUIT TREES, THORNS, SERVICES, &c.) |                                                                                        | Page |      | Page                                                                             |     |
|------------------------------------------------|----------------------------------------------------------------------------------------|------|------|----------------------------------------------------------------------------------|-----|
| Text in Vol. II.                               |                                                                                        |      |      |                                                                                  |     |
| Page                                           |                                                                                        | Page |      |                                                                                  |     |
| 105.                                           | <i>Amýgdalus communis</i> (the Almond) }<br>Hort. Soc. Gard. Miss M. L.                | 674  | 121. | <i>Crataegus coccínea</i> -<br>Hort. Soc. Gard. H. Le Jeune.                     | 816 |
| 106.                                           | <i>Pérsica vulgàris</i> (the Peach) }<br>Hort. Soc. Gard. Miss M. L.                   | 680  | 122. | <i>C. glandulòsa</i> -<br>Hort. Soc. Gard. H. Le Jeune.                          | 817 |
| 107.                                           | <i>Armeniaca vulgàris</i> (the Apricot) }<br>Hort. Soc. Gard. Miss M. L.               | 682  | 123. | <i>C. punctàta</i> -<br>Hort. Soc. Gard. H. Le Jeune.                            | 818 |
| 108.                                           | <i>A. sibírica</i> -<br>Hort. Soc. Gard. Miss M. L.                                    | 683  | 124. | <i>C. pyrifòlia</i> -<br>Hort. Soc. Gard. H. Le Jeune.                           | 819 |
| 109.                                           | <i>Prúnus spinòsa</i> (the Sloe) }<br>Hort. Soc. Gard. H. W. Jukes.                    | 684  | 125. | <i>C. macracántha</i> -<br>Hort. Soc. Gard. H. Le Jeune.                         | 819 |
| 110.                                           | <i>P. insitítia</i> (the Bullace) }<br>Hort. Soc. Gard. H. W. Jukes.                   | 687  | 126. | <i>C. Crús-gállì</i> (the Cockspur Thorn) }<br>Hort. Soc. Gard. Miss E. Ronalds. | 820 |
| 111.                                           | <i>P. doméstica myrobálana</i> (the Myrobalan Plum) }<br>Hort. Soc. Gard. Miss M. L.   | 688  | 127. | <i>C. C.</i> , full-grown tree.<br>Fulham Palace. H. Le Jeune.                   |     |
| 112.                                           | <i>Cérasus sylvéstris</i> (the Gean or Wood Cherry) }<br>Hort. Soc. Gard. H. Le Jeune. | 693  | 128. | <i>C. C. pyracanthæfòlia</i> -<br>Hort. Soc. Gard. H. Le Jeune.                  | 820 |
| 113.                                           | <i>C. s.</i> , full-grown tree.<br>Studley Park. H. W. Jukes.                          |      | 129. | <i>C. C. salicifòlia</i> -<br>Hort. Soc. Gard. H. Le Jeune.                      | 820 |
| 114.                                           | <i>C. vulgàris</i> -<br>Hort. Soc. Gard. H. Le Jeune.                                  | 693  | 130. | <i>C. C. ovalifòlia</i> -<br>Hort. Soc. Gard. H. Le Jeune.                       | 821 |
| 115.                                           | <i>C. v. semperflòrens</i> -<br>Hort. Soc. Gard. H. Le Jeune.                          | 701  | 131. | <i>C. C. prunifòlia</i> -<br>Hort. Soc. Gard. H. Le Jeune.                       | 821 |
| 116.                                           | <i>C. Mahàleb</i> (the Perfumed Cherry) }<br>Hort. Soc. Gard. H. Le Jeune.             | 707  | 132. | <i>C. nìgra</i> -<br>Hort. Soc. Gard. H. Le Jeune.                               | 822 |
| 117.                                           | <i>C. Pàdus</i> (the Bird Cherry) }<br>Hort. Soc. Gard. H. Le Jeune.                   | 709  | 133. | <i>C. purpùrea</i> -<br>Hort. Soc. Gard. H. Le Jeune.                            | 822 |
| 118.                                           | <i>C. serótina</i> -<br>Hort. Soc. Gard. H. Le Jeune.                                  | 712  | 134. | <i>C. Douglàsii</i> -<br>Hort. Soc. Gard. H. Le Jeune.                           | 823 |
| 119.                                           | <i>C. lusitànica</i> (the Portugal Laurel) }<br>Syon House. H. Le Jeune.               | 714  | 135. | <i>C. flàva</i> -<br>Hort. Soc. Gard. H. Le Jeune.                               | 823 |
| 120.                                           | <i>C. l.</i> , full-grown tree.<br>Syon House. H. Le Jeune.                            |      | 136. | <i>C. apiifòlia</i> -<br>Messrs. Loddiges. H. Le Jeune.                          | 824 |
|                                                |                                                                                        |      | 137. | <i>C. cordàta</i> -<br>Hort. Soc. Gard. H. Le Jeune.                             | 825 |
|                                                |                                                                                        |      | 138. | <i>C. spathulàta</i> -<br>Hort. Soc. Gard. H. Le Jeune.                          | 825 |
|                                                |                                                                                        |      | 139. | <i>C. Azaròlus</i> (the Azarole) }<br>Messrs. Loddiges. H. Le Jeune.             | 826 |
|                                                |                                                                                        |      | 140. | <i>C. maroccàna</i> -<br>Hort. Soc. Gard. H. Le Jeune.                           | 827 |
|                                                |                                                                                        |      | 141. | <i>C. Arònia</i> -<br>Hort. Soc. Gard. H. Le Jeune.                              | 827 |



| Page |                                                                                                   | Page |  | Page |                                                                                                  | Page |
|------|---------------------------------------------------------------------------------------------------|------|--|------|--------------------------------------------------------------------------------------------------|------|
| 142. | <i>C. orientàlis</i> (syn. <i>odoratissima</i> ) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> . | 827  |  | 170. | <i>P. sinénsis</i> - - - }<br>Hort. Soc. Gard. <i>Miss M. L.</i>                                 | 889  |
| 143. | <i>C. tanacetifolia</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                          | 828  |  | 171. | <i>P. bollwylleriàna</i> - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .                        | 890  |
| 144. | <i>C. t. glàbra</i> - - - }<br>Messrs. Loddiges. <i>H. Le Jeune</i> .                             | 828  |  | 172. | <i>P. variolòsa</i> - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .                             | 891  |
| 145. | <i>C. t. Leeàna</i> - - - }<br>Leyton Nursery. <i>H. Le Jeune</i> .                               | 828  |  | 173. | <i>P. Málus</i> (the Apple) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                     | 891  |
| 146. | <i>C. heterophýlla</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                           | 829  |  | 174. | <i>P. M.</i> var. full-grown tree.<br>Tibberton. <i>G. R. Lewis</i> .                            |      |
| 147. | <i>C. Oxyacántha</i> (the Hawthorn) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .              | 829  |  | 175. | <i>P. (M.) baccàta</i> (the Siberian Crab) - - - }<br>Hort. Soc. Gard. <i>Miss M. L.</i>         | 892  |
| 148. | <i>C. O.</i> , full-grown tree.<br>Studley Park. <i>H. W. Jukes</i> .                             |      |  | 176. | <i>P. (M.) coronària</i> - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .                        | 908  |
| 149. | <i>C. O. obtusàta</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                            | 830  |  | 177. | <i>P. (M.) angustifolia</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                     | 909  |
| 150. | <i>C. O. laciniàta</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                           | 830  |  | 178. | <i>P. (M.) spectàbilis</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                      | 909  |
| 151. | <i>C. O. eriocàrpa</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                           | 831  |  | 179. | <i>P. A'ria undulàta</i> (the White Beam Tree) - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .  | 910  |
| 152. | <i>C. O. Oliveriàna</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                          | 831  |  | 180. | <i>P. (A.) vestita</i> - - - }<br>Messrs. Loddiges. <i>Miss M. L.</i>                            | 912  |
| 153. | <i>C. O. melanocàrpa</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                         | 831  |  | 181. | <i>P. (A.) torminàlis</i> (the Wild Service) - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .    | 913  |
| 154. | <i>C. O. strícta</i> - - - }<br>Hort. Soc. Gard. <i>Miss E. Ronalds</i> .                         | 832  |  | 182. | <i>P. pinnatífida</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                           | 915  |
| 155. | <i>C. O. reginæ</i> - - - }<br>Messrs. Loddiges. <i>H. Le Jeune</i> .                             | 832  |  | 183. | <i>P. aucupària</i> (the Mountain Ash) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .          | 916  |
| 156. | <i>C. mexicàna</i> - - - }<br>Messrs. Loddiges. <i>H. Le Jeune</i> .                              | 843  |  | 184. | <i>P. americàna</i> - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .                             | 920  |
| 157. | <i>Photínia serrulàta</i> - - - }<br>Syon House. <i>H. Le Jeune</i> .                             | 868  |  | 185. | <i>P. Sórbus</i> (the Sorb, or True Service Tree) - - - }<br>Messrs. Loddiges. <i>Miss M. L.</i> | 921  |
| 158. | <i>Cotoneáster frígida</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                       | 871  |  | 186. | <i>P. S. híbrida lanuginòsa</i> - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .                 | 924  |
| 159. | <i>C. affinis</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                                | 871  |  | 187. | <i>P. (S.) spùria</i> - - - }<br>Hort. Soc. Gard. <i>H. W. Jukes</i> .                           | 924  |
| 160. | <i>C. acuminàta</i> - - - }<br>Fulham Nursery. <i>Miss M. L.</i>                                  | 872  |  | 188. | <i>Cydònia vulgàris</i> (the Quince) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .            | 929  |
| 161. | <i>C. nummulària</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                             | 872  |  | 189. | <i>C. sinénsis</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                              | 931  |
| 162. | <i>Amelánochier Botryàpium</i> (Snowy Mespilus) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .  | 874  |  |      | <i>MYRTA'CEÆ.</i>                                                                                |      |
| 163. | <i>A. Botryap.</i> , full-grown tree.<br>Syon House. <i>G. R. Lewis</i> .                         |      |  | 190. | <i>Eucalýptus robústa</i> - - - }<br>Stamford Hill. <i>L. Martin</i> .                           | 959  |
| 164. | <i>Méspilus germánica</i> (the Medlar) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .           | 877  |  |      | <i>CORNA'CEÆ.</i>                                                                                |      |
| 165. | <i>M. Smíthii</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                                | 878  |  | 191. | <i>Córnus más</i> (the Dogwood) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                 | 1014 |
| 166. | <i>Pýrus commùnis</i> (the Pear) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                 | 880  |  |      | <i>CAPRIFOLIA'CEÆ.</i>                                                                           |      |
| 167. | <i>P. c.</i> var. full-grown tree, 4to.<br>Hamley Cottage. <i>G. R. Lewis</i> .                   |      |  | 192. | <i>Sambùcus nìgra</i> (the Elder) - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .               | 1027 |
| 168. | <i>P. c.</i> var. Glout Morceau - - - }<br>Bayswater. <i>H. Le Jeune</i> .                        | 881  |  | 193. | <i>Vibúrnum prunifolium</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                     | 1034 |
| 169. | <i>P. sinàica</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                                | 889  |  |      | <i>ERICA'CEÆ.</i>                                                                                |      |
|      |                                                                                                   |      |  | 194. | <i>A'rbutus híbrida</i> - - - }<br>Hort. Soc. Gard. <i>H. Le Jeune</i> .                         | 1119 |



| Page |                                                                       | Page |  | Page |                                                                               | Page |
|------|-----------------------------------------------------------------------|------|--|------|-------------------------------------------------------------------------------|------|
| 195. | <i>A. Andrâchne</i> - - -                                             | 1120 |  | 204. | <i>F. e.</i> , full-grown winter tree, 4to. Studley Park. <i>H. W. Jukes.</i> |      |
|      | Messrs. Loddiges. <i>H. Le Jeune.</i>                                 |      |  |      |                                                                               |      |
|      | <b>HALESIA'CEÆ. (SNOWDROP TREES.)</b>                                 |      |  | 205. | <i>F. e. pëndula</i> - - -                                                    | 1214 |
| 196. | <i>Halèsia tetrâptera</i> - - -                                       | 1190 |  |      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                          |      |
|      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                  |      |  | 206. | <i>F. simplicifolia</i> - - -                                                 | 1228 |
| 197. | <i>H. t.</i> , full-grown tree. Syon House. <i>G. R. Lewis.</i>       |      |  |      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                          |      |
|      | <b>EBENA'CEÆ. (LOTE TREES, OR DATE PLUMS.)</b>                        |      |  | 207. | <i>F. parvifolia</i> - - -                                                    | 1229 |
| 198. | <i>Diospÿros Lôtus</i> - - -                                          | 1194 |  |      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                          |      |
|      | Bayswater. <i>H. Le Jeune.</i>                                        |      |  | 208. | <i>F. lentiscifolia</i> - - -                                                 | 1231 |
| 199. | <i>D. L.</i> , full-grown tree. Syon House. <i>G. R. Lewis.</i>       |      |  |      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                          |      |
| 200. | <i>D. virginiana</i> (the Vir- }<br>ginian Date Plum) } 1195          |      |  | 209. | <i>F. americana</i> - - -                                                     | 1232 |
|      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                  |      |  |      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                          |      |
| 201. | <i>D. v.</i> , full-grown tree. Syon House. <i>G. R. Lewis.</i>       |      |  | 210. | <i>F. juglandifolia</i> , full- }<br>grown tree, 4to - } 1236                 |      |
|      |                                                                       |      |  |      | Pope's Villa, Twickenham. <i>H. Le Jeune.</i>                                 |      |
|      | <b>OLEA'CEÆ. (ASH TREES.)</b>                                         |      |  | 211. | <i>F. lancea</i> - - -                                                        | 1237 |
| 202. | <i>Frâxinus excelsior</i> - - -                                       | 1214 |  |      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                          |      |
|      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                  |      |  | 212. | <i>F. pannosa</i> , full-grown }<br>tree - - - } 1240                         |      |
| 203. | <i>F. e.</i> , full-grown tree. Kensington Gardens. <i>J. Martin.</i> |      |  |      | Ham House, Essex. <i>L. Martin.</i>                                           |      |
|      |                                                                       |      |  | 213. | <i>O'rnus europæ'a</i> (the }<br>Flowering Ash) - } 1241                      |      |
|      |                                                                       |      |  |      | Hort. Soc. Gard. <i>H. Le Jeune.</i>                                          |      |
|      |                                                                       |      |  | 214. | <i>O. e.</i> , full-grown tree. Syon House. <i>G. R. Lewis.</i>               |      |

## LIST OF PLATES IN VOL. VI., ALPHABETICALLY ARRANGED.

The Roman numerals refer to the volumes of the text where the species is treated of.

| Page |                                                                  | Page     |  | Page |                                                                  | Page    |
|------|------------------------------------------------------------------|----------|--|------|------------------------------------------------------------------|---------|
|      | Almond. See <i>Amýgdalus</i> .                                   |          |  | 115. | <i>C. semperflòrens</i> - - -                                    | II. 701 |
| 162. | <i>Amelânychier Botryâpium</i> - II.                             | 874      |  | 118. | <i>C. serôtina</i> - - -                                         | II. 712 |
| 163. | <i>A. B.</i> , full-grown tree.                                  |          |  | 112. | <i>C. sylvéstris</i> (Gean, or }<br>Wood Cherry) - } II. 693     |         |
| 105. | <i>Amýgdalus communis</i> }<br>(the Almond) - } II. 674          |          |  | 113. | <i>C. sylvéstris</i> , full-grown<br>tree.                       |         |
|      | Apple. See <i>Pÿrus Mâlus</i> .                                  |          |  | 114. | <i>C. vulgâris</i> - - -                                         | II. 693 |
|      | Apricot. See <i>Armeniâca</i> .                                  |          |  |      | Cherry. See <i>Cérasus</i> .                                     |         |
| 195. | <i>A'rbutus Andrâchne</i> - - -                                  | II. 1120 |  |      | Cockspur Thorn. See <i>Cra-</i><br><i>tæ'gus Crús-gâlli</i> .    |         |
| 194. | <i>A. hýbrida</i> - - -                                          | II. 1119 |  | 191. | <i>Córnus mas</i> (the Dog- }<br>wood Tree) - - } II. 1014       |         |
| 107. | <i>Armeniâca vulgâris</i> (the }<br>Apricot) - - - } II. 682     |          |  | 160. | <i>Cotoneâster acuminâta</i> -                                   | II. 872 |
| 108. | <i>A. sibîrica</i> - - -                                         | 683      |  | 159. | <i>C. affinis</i> - - -                                          | II. 871 |
|      | Ash. See <i>Frâxinus</i> .                                       |          |  | 158. | <i>C. frígida</i> - - -                                          | II. 871 |
|      | Azarole. See <i>Cratæ'gus</i><br><i>Azaròlus</i> .               |          |  | 161. | <i>C. nummulària</i> - - -                                       | II. 872 |
|      | Bird Cherry. See <i>Cérasus</i><br><i>Pâdus</i> .                |          |  | 136. | <i>Cratæ'gus apiifolia</i> -                                     | II. 824 |
| 119. | <i>Cérasus lusitânica</i> (the }<br>Portugal Laurel) - } II. 714 |          |  | 141. | <i>C. Arònia</i> - - -                                           | II. 827 |
| 120. | <i>C. l.</i> , full-grown tree.                                  |          |  | 139. | <i>C. Azaròlus</i> (the Azarole) -                               | II. 826 |
| 116. | <i>C. Mahâleb</i> (the Per- }<br>fumed Cherry) - } II. 707       |          |  | 121. | <i>C. coccinea</i> - - -                                         | II. 816 |
| 117. | <i>C. Pâdus</i> (the Bird }<br>Cherry) - - - } II. 709           |          |  | 137. | <i>C. cordâta</i> - - -                                          | II. 825 |
|      |                                                                  |          |  | 126. | <i>C. Crús-gâlli</i> (the Cock- }<br>spur Thorn) - - - } II. 820 |         |
|      |                                                                  |          |  | 127. | <i>C. C.</i> full-grown tree.                                    |         |




| Page |                                            | Page |      | Page                                      |      | Page |
|------|--------------------------------------------|------|------|-------------------------------------------|------|------|
| 130. | <i>Crat. Crús-g. ovalifòlia</i> - II.      | 821  | 164. | <i>Méspilus germànica</i> (the } II. 877  |      |      |
| 131. | <i>C. C. prunifòlia</i> - - II.            | 821  |      | Medlar) - - - }                           |      |      |
| 128. | <i>C. C. pyracanthæfòlia</i> - II.         | 820  | 165. | <i>M. Smíthii</i> - - - II.               | 878  |      |
| 129. | <i>C. C. salicifòlia</i> - - II.           | 820  |      | Mountain Ash. See <i>Pýrus</i>            |      |      |
| 134. | <i>C. Douglàsii</i> - - - II.              | 823  |      | <i>aucupària</i> .                        |      |      |
| 135. | <i>C. flàva</i> - - - II.                  | 823  |      | Peach. See <i>Pérsica</i> .               |      |      |
| 122. | <i>C. glandulòsa</i> - - - II.             | 817  |      | Pear. See <i>Pýrus</i> .                  |      |      |
| 146. | <i>C. heterophýlla</i> - - II.             | 829  |      | Perfumed Cherry. See <i>Cé-</i>           |      |      |
| 125. | <i>C. macracántha</i> - - II.              | 819  |      | <i>rasus Mahàleb</i> .                    |      |      |
| 140. | <i>C. maroccàna</i> - - - II.              | 827  | 213. | <i>O'rnus europæ'a</i> (the } II. 1241    |      |      |
| 156. | <i>C. mexicàna</i> - - - II.               | 843  |      | Flowering Ash) - }                        |      |      |
| 132. | <i>C. nìgra</i> - - - II.                  | 822  | 214. | <i>O. e.</i> , full-grown tree.           |      |      |
| 142. | <i>C. orientàlis</i> (odoratíssima) II.    | 827  | 106. | <i>Pérsica vulgàris</i> (the } II. 680    |      |      |
| 147. | <i>C. Oxyacántha</i> (the } II. 829        |      |      | Peach) - - - }                            |      |      |
|      | Hawthorn) - - - }                          |      | 157. | <i>Photínia serrulàta</i> - - II.         | 868  |      |
| 148. | <i>C. O.</i> , full-grown tree.            |      |      | Plum. See <i>Prùnus</i> .                 |      |      |
| 151. | <i>C. O. eriocárpa</i> - - II.             | 831  |      | Portugal Laurel. See <i>Cé-</i>           |      |      |
| 150. | <i>C. O. laciniàta</i> - - - II.           | 830  |      | <i>rasus lusitànica</i> .                 |      |      |
| 153. | <i>C. O. melanocárpa</i> - - II.           | 831  | 111. | <i>Prùnus doméstica myro-</i> } II. 688   |      |      |
| 149. | <i>C. O. obtusàta</i> - - - II.            | 830  |      | <i>bàlana</i> - - - }                     |      |      |
| 152. | <i>C. O. Oliveriàna</i> - - II.            | 831  | 110. | <i>P. insitítia</i> (the Plum) - II.      | 687  |      |
| 155. | <i>C. O. reginæ</i> - - - II.              | 832  | 109. | <i>P. spinòsa</i> (the Sloe) - II.        | 684  |      |
| 154. | <i>C. O. strícta</i> - - - II.             | 832  | 184. | <i>Pýrus americàna</i> - - II.            | 920  |      |
| 123. | <i>C. punctàta</i> - - - II.               | 818  | 177. | <i>P. (M.) angustifòlia</i> - - II.       | 909  |      |
| 133. | <i>C. purpùrea</i> - - - II.               | 822  | 179. | <i>P. A'ria undulàta</i> (the } II. 910   |      |      |
| 124. | <i>C. pyrifòlia</i> - - - II.              | 819  |      | White Beam Tree) }                        |      |      |
| 138. | <i>C. spathulàta</i> - - - II.             | 825  | 183. | <i>P. aucupària</i> (the Moun- } II. 916  |      |      |
| 143. | <i>C. tanacetifòlia</i> - - II.            | 828  |      | tain Ash) - - - }                         |      |      |
| 144. | <i>C. t. glàbra</i> - - - II.              | 828  | 175. | <i>P. (M.) baccàta</i> (the Si- } II. 892 |      |      |
| 145. | <i>C. t. Leeàna</i> - - - II.              | 828  |      | berian Crab) - - - }                      |      |      |
| 188. | <i>Cydònia vulgàris</i> - - II.            | 929  | 171. | <i>P. bollwylleriàna</i> - - II.          | 890  |      |
| 189. | <i>C. sinénsis</i> - - - II.               | 931  | 166. | <i>P. commùnis</i> (the Pear) - II.       | 880  |      |
| 198. | <i>Diospýros Lòtus</i> (the } II. 1194     |      | 167. | <i>P. c.</i> , full-grown tree, 4to.      |      |      |
|      | Date Plum) - - - }                         |      | 168. | <i>P. c.</i> , var. Glout Morceau - II.   | 881  |      |
| 199. | <i>D. L.</i> , full-grown tree.            |      | 176. | <i>P. coronària</i> - - - II.             | 908  |      |
| 200. | <i>D. virginiana</i> - - - II.             | 1195 | 173. | <i>P. Málus</i> (the Apple) - II.         | 891  |      |
| 201. | <i>D. v.</i> , full-grown tree.            |      | 174. | <i>P. M.</i> var., full-grown tree.       |      |      |
|      | Dogwood. See <i>Córnus</i> .               |      | 182. | <i>P. pinnatífida</i> - - - II.           | 915  |      |
|      | Elder. See <i>Sambùcus</i> .               |      | 169. | <i>P. sinàica</i> - - - II.               | 889  |      |
|      | Flowering Ash. See <i>O'rnus</i> .         |      | 170. | <i>P. sinénsis</i> - - - II.              | 889  |      |
| 190. | <i>Eucalýptus robústa</i> - - II.          | 959  | 185. | <i>P. Sórbus</i> (the Sorb, or } II. 921  |      |      |
| 209. | <i>Fráxinus americàna</i> - - II.          | 1232 |      | True Service Tree) }                      |      |      |
| 210. | <i>F. juglandifòlia</i> , full- } II. 236  |      | 186. | <i>P. S. híbrida lanuginòsa</i> - II.     | 924  |      |
|      | grown tree, 4to - }                        |      | 178. | <i>P. (M.) spectàbilis</i> - - II.        | 909  |      |
| 202. | <i>F. excelsior</i> (the common } II. 1214 |      | 187. | <i>P. (S.) spùria</i> - - - II.           | 924  |      |
|      | Ash) - - - }                               |      | 172. | <i>P. variolòsa</i> - - - II.             | 891  |      |
| 203. | <i>F. e.</i> , full-grown tree.            |      | 180. | <i>P. (A.) vestita</i> - - - II.          | 912  |      |
| 204. | <i>F. e.</i> , full-grown winter           |      | 181. | <i>P. (A.) torminàlis</i> (the } II. 913  |      |      |
|      | tree, 4to.                                 |      |      | Wild Service) - - - }                     |      |      |
| 211. | <i>F. láncea</i> - - - II.                 | 2137 |      | Quince. See <i>Cydònia</i> .              |      |      |
| 208. | <i>F. lentiscifòlia</i> - - - II.          | 1231 |      | Service. See <i>Pýrus Sórbus</i> .        |      |      |
| 212. | <i>F. pannòsa</i> , full-grown tree II.    | 1240 |      | Siberian Crab. See <i>Pýrus</i>           |      |      |
| 207. | <i>F. parvifòlia</i> - - - II.             | 1229 |      | <i>baccàta</i> .                          |      |      |
| 205. | <i>F. e. péndula</i> - - - II.             | 1214 |      | Sloe. See <i>Prùnus</i> .                 |      |      |
| 206. | <i>F. simplicifòlia</i> - - - II.          | 1228 |      | Snowdrop Tree. See <i>Ha-</i>             |      |      |
| 196. | <i>Halèsia tetráptera</i> (the } II. 1190  |      |      | <i>lèsia</i> .                            |      |      |
|      | Snowdrop Tree) - - - }                     |      |      | Sorb. See <i>Pýrus Sórbus</i> .           |      |      |
| 197. | <i>H. t.</i> , full-grown tree.            |      | 192. | <i>Sambùcus nìgra</i> (Elder) - II.       | 1027 |      |
|      | Hawthorn. See <i>Cratægus</i>              |      | 193. | <i>Vibúrnum prunifòlium</i> - II.         | 1034 |      |
|      | <i>Oxyacántha</i> .                        |      |      | White Beam Tree. See                      |      |      |
|      | Lotus Tree. See <i>Diospýros</i>           |      |      | <i>Pýrus A'ria</i> .                      |      |      |
|      | and <i>Céltis</i> .                        |      |      | Wild Service. See <i>Pýrus</i>            |      |      |
|      | Medlar. See <i>Méspilus</i> .              |      |      | <i>torminàlis</i> .                       |      |      |



*Amýgdalus communis.*  
The common Almond.



17 ft. high, 4 in. diam.










*Pérsica vulgàris.*  
The common Peach tree.



16 ft. high, 4 in. diam.











The common Apricot tree.



16½ ft. high, 7 in. diam.











*Armeniaca sibirica.*  
The Siberian Apricot tree.



11 ft. high,  $3\frac{1}{2}$  in. diam.










*Prunus spinosa.*

The spiny Plum, or Sloe, tree.



13 ft. high, 7 in. diam.









*Prunus insititia.*

The grafted, or *Bullace*, Plum tree.



13 ft. high,  $3\frac{1}{2}$  in. diam.










The Myrobalan Plum tree.



15 ft. high,  $7\frac{1}{2}$  in. diam.










*Cerasus sylvestris.*

The *Gean*, or Wood Cherry tree.



17 ft. high, 4 in. diam.










*Cérasus sylvestris.*

The Wood, or common wild black, Cherry tree.



Full-grown tree at Studley Park ; 85 ft. high, diam. of the trunk 2 ft. 8½ in.  
[Scale 1 in. to 24 ft.]









The common *wild* Cherry tree.









The ever-flowering Cherry.



13 ft. high,  $3\frac{1}{2}$  in. diam.









*Cérusus Mahaleb.*  
The *perfumed* Cherry tree.



15 ft. high,  $6\frac{1}{2}$  in. diam.









*Cérusus Pàdus.*  
The Bird Cherry tree.



16 ft. high, 4 in. diam.










*Cérusus serótina.*

The late-flowering American Bird Cherry tree.



12½ ft. high, 3½ in. diam.










*Cérusus lusitánica.*  
The Portugal *Laurel*.

119



10 ft. high, 4 in. diam.









*Cérasmus lusitánica.*  
The Portugal *Laurel*.



Full-grown tree at Syon ; 24 ft. high, and with a head 45 ft. in diam.  
[Scale 1 in. to 12 ft.]










*Crataegus coccinea.*  
The scarlet-fruited Thorn.



13½ ft. high, 3½ in. diam.









*Crataegus glandulosa.*

The glandulous (*bracted and sepaled*) Thorn.



13 ft. high,  $3\frac{1}{2}$  in. diam.










*Crataegus punctata.*  
The dotted-fruited Thorn.

123



14½ ft. high, 4½ in. diam.










*Crataegus pyrifolia.*  
The Pear-tree-leaved Thorn.



14 ft. high,  $2\frac{1}{2}$  in. diam.









*Crataegus macracantha.*

The long-spined Thorn.



12 ft. high, 2½ in. diam.










*Crataegus Crús-gálli.*  
The Cock's-spur Thorn.



10 ft. high, 3 in. diam.









*Crataegus Crús-gálli.*  
The Cock's-spur Thorn.



Full-grown tree at Fulham Palace ; 30 ft. high, diam. of the trunk 18 in., and of the head 35 ft.  
[Scale 1 in. to 12 ft.]









*Crataegus Crús-gálli pyracanthæfòlia.*  
The Pyracantha-leaved Cock's-spur Thorn.

128



19 ft. high, 5 in. diam.









*Crataegus Crús-gálli salicifolia.*  
The Willow-leaved Cock's-spur Thorn.



10 ft. high, 2½ in. diam.









*Crataegus Crús-gálli ovalifolia.*  
The oval-leaved Cock's-spur Thorn.

130



12½ ft. high, 3 in. diam.









The Plum-tree-leaved (Cock's-spur) Thorn.



17 ft. high, 3 in. diam.










*Crataegus nìgra.*  
The black-fruited Thorn.

132



16 ft. high, 5½ in. diam.









*Crataegus purpurea.*  
The purple-branched Thorn.



13 ft. high,  $3\frac{1}{4}$  in. diam.









*Crataegus Douglàsii.*  
Douglas's Thorn.



12 ft. high, 2 in. diam.










*Crataegus flava.*  
The yellow-fruited Thorn.



14 ft. high, 4 in. diam.









*Crataegus apiifolia.*  
The Parsley-leaved Thorn.



15 ft. high, 2 in. diam.












*Crataegus cordata.*

The heart-shaped-leaved Thorn.



12 ft. high, 3 in. diam.









*Crataegus spathulata.*

The spathula-shaped-leaved Thorn.

8 ft. high,  $1\frac{1}{4}$  in. diam.







*Crataegus Azarolus.*  
The Azarole Thorn.

139



20 ft. high, 3 in. diam.









The Morocco Thorn.









*Crataegus Aronia.*  
The Aronia Thorn.

141










The Eastern, or sweetest-scented-*flowered*, Thorn.



14 ft. high,  $3\frac{1}{2}$  in. diam.









The Tansy-leaved Thorn.



17 ft. high,  $4\frac{1}{2}$  in. diam.









*Cratægus tanacetifolia glabra.*  
The glabrous Tansy-leaved Thorn.



9 ft. high, 2½ in. diam.











Lee's Tansy-leaved Thorn.



14 ft. high, 3 in. diam.









*Crataegus heterophylla.*  
The various-leaved Thorn.

146



15 ft. high, 3 in. diam.









*Crataegus Oxyacantha.*  
The common Hawthorn.

147



13 ft. high, 6 in. diam.









*Crataegus Oxyacantha.*

The common Hawthorn.



Full-grown tree at Studley ; 43 ft. high. diam. of the trunk 4 ft., and of the head 48 ft.  
[Scale 1 in. to 12 ft.]









*Crataegus Oxyacantha obtusata.*

The obtuse-leaved Hawthorn.



12 ft. high, 2½ in. diam.










*Crataegus Oxyacantha laciniata.*

The cut-leaved Hawthorn.



11 ft. high, 3 in. diam.









*Crataegus Oxyacantha eriocarpa.*

The woolly-fruited Hawthorn.



14 ft. high, 5 in. diam.









*Crataegus Oxyacantha Oliveriana.*

Oliver's Hawthorn.



16 ft. high, 3½ in. diam.









*Cratæ'gus Oxyucántha melanocárpa.*

The black-fruited Hawthorn.









The upright Hawthorn.



12 ft. high, 4 in. diam.









*Crataegus Oxyacantha reginae.*

Queen Mary's Hawthorn.



14 ft. high, 2½ in. diam.









*Crataegus mexicana.*

The Mexican Thorn.



10 ft. high, 2½ in. diam.










*Photinia serrulata.*

The serrulated-leaved Photinia.



12 ft. high, 2 in. diam.









The frigid (*native locality*) Cotoneaster.



16 ft. high, 3 in. diam.









*Cotoneáster affinis.*

The related (to *frigida*) Cotoneaster.



15 ft. high,  $3\frac{1}{2}$  in. diam.









*Cotoneáster acuminàta.*

The pointed-*leaved* Cotonaster.



9 ft. high,  $1\frac{1}{2}$  in. diam.









*Cotoneáster nummulària.*

The money-like-leaved Cotoneaster.



12 ft. high, 2 in. diam.











*Amelanchier Botryapium.*

The Grape-Pear Amelanchier, or Snowy Mespilus.



14 ft. high, 3 in. diam.









*Amelanchier Botryapium.*

The Grape-Pear Amelanchier, or *Snowy Mespilus*.



Full-grown tree at Syon ; 40 ft. high, diam. of the trunk 3 ft., and of the head 54 ft.  
[Scale 1 in. to 12 ft.]











*Méspilus germánica.*

The *common*, or German, Medlar tree.



10 ft. high, 4 in. diam.










*Mespilus Smithii.*

Smith's Medlar.



15½ ft. high, 6 in. diam.











The common *wild* Pear tree.



17 ft. high, 4 in. diam.











ft.







The Glout Morceau Pear tree.











The *Mount Sinai* Pear tree.



16 ft. high, 5 in. diam.










*Pyrus sinensis.*  
The Chinese Pear tree.

170



15 ft. high,  $3\frac{1}{2}$  in. diam.










*Pyrus bollwylleri*ana.  
The Bollwyller Pear tree.

171



16 ft. high, 3 in. diam.









The variable-*leaved* Pear tree.










*The common Crab, or wild Apple tree.*



16 ft. high, 5 in. diam.









*Pyrus Mâlus* var.  
'The Madeley Apple tree.



Full-grown tree on Herbert's Farm, Tibberton, near Hereford; 40 ft. high, diam. of head 48 ft., and of trunk 5 ft. [Scale 1 in. to 12 ft.]











*Pyrus (M.) baccata.*

The berry-fruited Apple tree, or *Siberian Crab*.










*Pyrus (M.) coronària.*

The garland-flowering Apple tree, or Sweet-scented Crab.



10 ft. high,  $2\frac{1}{2}$  in. diam.





1844

1844

1844

1844



*Pyrus (M.) angustifolia.*

The narrow-leaved Apple tree, or Crab.



14 ft. high, 4 in. diam.










*Pyrus (M.) spectabilis.*

The showy-flowering wild Apple tree, or Chinese Crab.



14 ft. high, 3 in. diam.









*Pyrus Aria undulata.*

The wavy-leaved White Beam tree.









The down-invested *Nepal* White Beam tree.









*Pyrus (A.) torminalis.*

The griping-fruited Wild Service tree.



11 ft. high,  $2\frac{1}{2}$  in. diam.










*Pyrus pinnatifida.*

The pinnatifid-leaved White Beam tree.



12 ft. high,  $2\frac{1}{2}$  in. diam.









*Pyrus aucuparia.*

The Fowler's Service tree, or *Mountain Ash*.



15 ft. high, 3 in. diam.










The American Service, or *Mountain Ash*, tree.



12 ft. high, 2 in. diam.












*Pyrus Sórbus.*

The True Service, or Sorb, tree.



16 ft. high, 4 in. diam.









*Pyrus Sôrbus hýbrida lanuginôsa.*  
The woolly-leaved hybrid Service tree.









*Pyrus (Sorbus) spuria.*  
The spurious Service tree.



11 ft. high,  $3\frac{1}{2}$  in. diam.









*Cydônia vulgâris.*  
The common Quince tree.



12 ft. high, 4 in. diam.










*Cydonia sinensis.*  
The Chinese Quince tree.



7 ft. high,  $1\frac{1}{2}$  in. diam.










*Eucalyptus robusta.*

The robust Eucalyptus, or *Stringy-bark tree*.



14 ft. high, 2 in. diam.









*Córnus más.*

The male Dogwood, or *Cornel tree*.



13 ft. high, 2½ in. diam.









The common, or black-berried, Elder.



20 ft. high, 6 in. diam.









*Viburnum prunifolium.*  
The Plum-tree-leaved Viburnum.



11 ft. high, 2½ in. diam.









*A'rbutus híbrida.*  
The hybrid Arbutus.



12 ft. high, 3 in. diam.









*A'rbutus Andráchne.*  
The Andrachne Arbutus.




13 ft. high, 6 in. diam.





THE HISTORY OF THE  
CITY OF BOSTON





*Halèsia tetráptera.*

The four-winged-seeded Halesia, or Snowdrop tree.



9 ft. high, 2 in. diam.









*Halèsia tetráptera.*

The four-winged-*fruited* Halesia, or *Snowdrop tree*.



Full-grown tree at Syon, remarkable for its form ; 15 ft. high, diam. of the head 52 ft.  
[Scale 1 in. to 12 ft.]





1871

1871

1871

1871

1871

1871



The *European Lotus*, or common Date Plum.



16 ft. high, 3 in. diam.









*Diospyros Lôtus.*

The *European* Lotus, or common Date Plum.



Full-grown tree at Syon ; 15 ft. high, diam. of the trunk 1 ft., and of the head 39 ft.  
[Scale 1 in. to 12 ft.]










*Diospyros virginiana.*  
The Virginian Date Plum.



10 ft. high, 1½ in. diam.









*Diospyros virginiana.*  
The Virginian Date Plum.



Full-grown tree at Syon ; 28 ft. high, diam. of the trunk  $1\frac{1}{2}$  ft., and of the head 44 ft.  
[Scale 1 in. to 12 ft.]











20 ft. high, 6 in. diam.









*Fráxinus excélsior.*

The taller, or common, Ash.



Full-grown tree in Kensington Gardens ; 75 ft. high, diam. of the trunk 4 ft. 6 in., of the head 48 ft.  
[Scale 1 in. to 12 ft.]









192 ft.









192 ft.







*Fráxinus excélsior péndula.*

The pendulous-*branched* taller, or *weeping* common, Ash.









*Fraxinus simplicifolia.*  
The simple-leaved Ash.

206









*Fraxinus parvifolia.*

The small-leaved Ash.










*Fraxinus lentiscifolia.*  
The Lentiscus-leaved Ash.

208











The American Ash.




21 ft. high, 5 in. diam.












d of head 70 ft.









*Fráxinus lancea.*  
The lance-leaved Ash.

211









*Fraxinus pannosa.*  
The cloth-like-leaved Ash.



Full-grown tree at, Ham House ; 52 ft. high, diam. of the head 53 ft.  
[Scale 1 in. to 12 ft.]









The European Flowering Ash.



15 ft. high, 5 in. diam.









The European Flowering Ash.



Full-grown tree at Syon ; 58 ft. high.  
[Scale 1 in. to 12 ft.]


























Loudon, John C.,

Arboretum et fruticetum Britannicum, or, the trees and shrubs of Britain native and foreign, hardy and half-hardy, pictorally and botanically delineated, and scientifically described ; with their propagation, culture management, and uses in arts, in useful plantations, and in landscape gardening ; preceded by a historical and geographical outline of the trees  
Bd.: 6

London 1844

Phyt. 409 m-6

urn:nbn:de:bvb:12-bsb10302412-0